



TM Descaler

Machine Descaler

TM Descaler is designed to effectively clean, restore & descale all types of cleaning machinery that utilise hot water. The 100% active formula, removes build-up and scale fast, extending the life of the machine and ensuring smooth operation. TM Descaler also contains a high performance additive, that leaves a corrosion inhibiting microfilm on the metal surfaces that it comes into contact with.

BENEFITS

- **Super concentrate** – Super concentrate formula means that you get the maximum performance for your money.
- **100% Active** – Works fast and effectively.
- **Biodegradable** – Safe to use, and will not pollute waterways.
- **Extends the life of equipment** - Keeps fittings, valves, screens, metering systems, sensors and water lines free of obstructive scale deposits.
- **Chemical compatibility** - Rinses freely and completely. Will not leave a residue that could contaminate solutions used for cleaning after a descale cycle.
- **Super Versatile** - Versatile formula can be used to descale plastic and metal machinery, including: Truck mounts, portables, pressure washers, hard surface cleaning equipment, kettles, urns, dishwashers and washing machines.

DIRECTIONS for USE

Dilution:

Portable Machinery:

1. Dilute 500grams TM Descaler into 20Lt hot water.
2. Add to the solution tank, and flush through the system.
3. Add clean water to the solution tank, to rinse the system.

Truck Mounted Machinery:

1. Disconnect water inlet, and solution outlet hoses.
2. Empty half of the water from the water box.
3. Run the truckmount till water is warm (not hot).
4. While truckmount is running, slowly add 1kg of TM Descaler directly into the water box.
5. Leave truckmount running for 15 minutes.
6. Reconnect water inlet and solution hose to flush machine with clean water for 5 minutes. Do not allow TM Descaler solution to remain in machine after descaling is complete.
7. Add 250ml of alkaline extraction detergent to neutralise. Flush with clean water.