



# SAFETY DATA SHEET

## RUST REMOVER

### WHYTES SPECIALISED EQUIPMENT

Catalogue number: WH492

Version No: 3.1

Issue date: 01/07/2021

Safety Data Sheet according to WHS and ADG requirements

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### Product Identifier

Product name	RUST REMOVER
Product code	WH492
Pack sizes	500ml and 5L

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	High performance rust spot remover
--------------------------	------------------------------------

### Details of the manufacturer/importer

Registered company name	WHYTES SPECIALISED EQUIPMENT
Address	Unit 17/19 Cornhill Street, Ferntree Gully VIC 3156 Australia
Telephone	(03) 9758 6711
Website	www.carpetcleaningequipment.com.au
Email	sales@carpetcleaningequipment.com.au

### Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

## SECTION 2 HAZARDS IDENTIFICATION

### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	5
GHS Classification	Serious Eye Damage Category 1, Skin Corrosion/Irritation Category 1B, Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4 <i>Classification drawn from HCIS and ECHA C&amp;L Inventory.</i>

### Label elements

Hazard pictograms	
-------------------	--

SIGNAL WORD	<b>DANGER</b>
-------------	---------------

### Hazard statement(s)

H314	Causes severe skin burns and eye damage
H302	Harmful if swallowed
H332	Harmful if inhaled.
AUH071	Corrosive to the respiratory tract

### Precautionary statement(s) Prevention

P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P260	Do not breathe fumes / vapours / spray
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P264	Wash exposed skin thoroughly after handling

#### Precautionary statement(s) Response

P301+P310+P330+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.
P303+P310+P363+P361+P353	IF ON SKIN (or hair): Immediately call a POISON CENTER or doctor. Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower.
P305+P310+P351+P338	IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P310+P340	IF INHALED: Immediately call a POISON CENTER or doctor. Remove person to fresh air and keep in a position comfortable for breathing.

#### Precautionary statement(s) Storage

P405	Store locked up
------	-----------------

#### Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
7664-38-2	<10	<u>phosphoric acid</u>
1341-49-7	<1	<u>ammonium bifluoride</u>
144-62-7	<10	<u>oxalic acid</u>
111-76-2	<10	<u>ethylene glycol monobutyl ether</u>
2235-54-3	<10	<u>ammonium lauryl sulfate</u>
2809-21-4	<10	<u>hydroxyethanediphosphonic acid</u>

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### SECTION 4 FIRST AID MEASURES

#### Description of first aid measures

Eye Contact	<p>If this product comes in contact with the eyes:</p> <p>Immediately hold eyelids apart and flush the eye continuously with running water.</p> <p>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</p> <p>Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.</p> <p>Transport to hospital or doctor without delay.</p> <p>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel..</p>
Skin Contact	<p>If skin contact occurs:</p> <p>Immediately remove all contaminated clothing, including footwear.</p> <p>Flush skin and hair with running water (and soap if available). Continue rinsing for 20 minutes or until told to stop by a POISON CENTRE or doctor.</p> <p>Seek medical advice / attention.</p>
Inhalation	<p>If fumes or combustion products are inhaled remove from contaminated area.</p> <p>Lay patient down. Keep warm and rested.</p> <p>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</p> <p>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained.</p> <p>Perform CPR if necessary.</p> <p>Transport to hospital, or doctor, without delay.</p>
Ingestion	<p>For advice, contact a Poisons Information Centre or a doctor at once.</p> <p>Urgent hospital treatment is likely to be needed.</p> <p>If swallowed do NOT induce vomiting.</p> <p>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</p> <p>Observe the patient carefully.</p> <p>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</p> <p>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</p> <p>Transport to hospital or doctor without delay.</p>

#### Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

### SECTION 5 FIREFIGHTING MEASURES

#### Extinguishing media

Extinguishing media	<p>Foam.</p> <p>Dry chemical powder.</p> <p>BCF (where regulations permit).</p> <p>Carbon dioxide.</p> <p>Water spray or fog</p>
---------------------	--

#### Special hazards arising from the substrate or mixture

Fire incompatibility	None known
----------------------	------------

#### Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. <b>DO NOT</b> approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Non-combustible. Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit corrosive, poisonous fumes. May emit acrid smoke. Decomposition may produce toxic fumes of phosphorus oxides (POx).
HAZCHEM	2X

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

Minor Spills	Clean up all spills immediately. Avoid contact with skin and eyes. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Wear protective clothing, gloves and eye protection Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### SECTION 7 HANDLING AND STORAGE

##### Precautions for safe handling

Safe handling	<b>DO NOT</b> allow clothing wet with material to stay in contact with skin. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. <b>When handling, DO NOT</b> eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. <b>WARNING:</b> To avoid violent reaction, ALWAYS add material to water and NEVER water to material.
Other information	

##### Conditions for safe storage, including any incompatibilities

Suitable container	<b>DO NOT</b> use glass, aluminium or galvanised containers Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid storing with strong bases, strong oxidisers, chlorites and hypochlorites.

##### PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

#### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Control parameters

##### OCCUPATIONAL EXPOSURE LIMITS (OEL)

##### INGREDIENT DATA


Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	phosphoric acid	phosphoric acid	1 mg/m3	3 mg/m3	Not Available	Not Available
Australia Exposure Standards	ammonium bifluoride	Fluorides (as F)	2.5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	20 ppm / 96.9 mg/m3	242 mg/m3 / 50 ppm	Not Available	Not Available
Australia Exposure Standards	oxalic acid	Oxalic acid	1 mg/m3	2 mg/m3	Not Available	Not Available

##### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
phosphoric acid	phosphoric acid	Not Available	Not Available	Not Available
ammonium bifluoride	Ammonium hydrogen fluoride; (Ammonium bifluoride)	11 mg/m3	130 mg/m3	750 mg/m3
ethylene glycol monobutyl ether	2-Butoxyethanol	60 ppm	120 ppm	700 ppm
oxalic acid	Oxalic acid, anhydrous; (Ethanedioic acid)	2 mg/m3	20 mg/m3	500 mg/m3
hydroxyethanediphosphonic acid	Hydroxyethylidene-1,1-diphosphonic acid, 1-	7.2 mg/m3	79 mg/m3	480 mg/m3

Ingredient	Original IDLH	Revised IDLH
phosphoric acid	10,000 mg/m <sup>3</sup>	1,000 mg/m <sup>3</sup>
ammonium bifluoride	Not Available	Not Available
ethylene glycol monobutyl ether	700 ppm	Not Available
oxalic acid	500 mg/m <sup>3</sup>	Not Available
hydroxyethanediphosphonic acid	Not Available	Not Available
ammonium lauryl sulfate	Not Available	Not Available

#### Exposure controls

<b>Appropriate engineering controls</b>	Maintain adequate ventilation at all times. If ventilation is poor the use of a local exhaust ventilation system is recommended.
<b>Personal protection</b>	
<b>Eye and face protection</b>	Safety glasses with side shields. OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	Wear chemical protective gloves, Neoprene or butyl are recommended for this application
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	Barrier cream. Skin cleansing cream. Eye wash unit.
<b>Thermal hazards</b>	Not Available

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

<b>Appearance</b>	Opaque gel		
<b>Physical state</b>	Gel	<b>Relative density (Water = 1)</b>	1.05
<b>Odour</b>	Benzaldehyde	<b>Viscosity (cSt)</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Available
<b>pH (as supplied)</b>	2-3	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	Not Available	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	Not Available	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Available
<b>Flash point (°C)</b>	Not Applicable	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available
<b>Flammability</b>	Non flammable	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Applicable	<b>Molecular weight (g/mol)</b>	Not Available
<b>Lower Explosive Limit (%)</b>	Not Applicable	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water (g/L)</b>	Miscible	<b>pH as a solution (1%)</b>	Not Available
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Inhaled	Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. Ingestion of large quantity of phosphoric acid may cause severe abdominal pains, thirst, academia, difficult breathing, convulsions, collapse, shock and death. Although less hazardous than nitric and sulfuric acid, phosphoric acid has equal corrosive action upon ingestion.
Skin Contact	Skin contact with the material may be harmful; systemic effects may result following absorption The material may cause irritation to the skin. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Vapours from the product may produce transient discomfort to the eye characterised by tearing or conjunctival redness (as with windburn). Splashes may cause severe eye irritation, possible corneal burns and eye damage. Eye contact may cause tearing or blurring of vision.
Chronic	Repeated exposure or prolonged contact may produce dermatitis, and conjunctivitis.

### Toxicological effects of ingredients

oxalic acid	Acute toxicity	Oral LD50 (rat) 475 mg/kg Dermal LD50 (rabbit) 2000 mg/kg
	Skin corrosion/irritation	Contact with skin may result in irritation. Solutions of 5% to 10% oxalic acid are irritating to the skin after prolonged exposure and can cause corrosive injury.
	Eye damage/irritation	A severe eye irritant. Contamination of eyes can result in permanent injury.
	Respiratory/skin sensitization	Not sensitising
	Germ cell mutagenicity	Non-mutagenic
	Carcinogenicity	No available data
	Reproductive toxicity	Not toxic to reproduction
	STOT (single exposure)	Exposure to this compound can result in systemic effects including kidney damage, muscle twitching, cramps and nervous system complaints.
	STOT (repeated exposure)	Long term exposure can result in kidney stones and stone formation in the urinary tract.
phosphoric acid	Aspiration toxicity	No available data
	Acute toxicity	Oral LD50 (rat): 1250 mg/kg Dermal LD50 (rabbit): 2740 mg/kg
	Skin corrosion/irritation	Corrosive to skin - may cause skin burns
	Eye damage/irritation	A severe eye irritant. Corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury.
	Respiratory/skin sensitization	No data available
	Germ cell mutagenicity	No data available
	Carcinogenicity	No data available
	Reproductive toxicity	No data available
	STOT (single exposure)	No data available
ethylene glycol monobutyl ether	STOT (repeated exposure)	Prolonged exposures can cause necrosis of nasal passages and oedema of lungs
	Aspiration toxicity	No data available
	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h
	Skin corrosion/irritation	Causes skin irritation.
	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin sensitization	Not classified No study available.
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Not classified
	Reproductive toxicity	Not classified
ammonium lauryl sulfate	STOT (single exposure)	High concentrations may cause central nervous system depression
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence, not classified
	Acute toxicity	no data available
	Skin corrosion/irritation	May cause skin irritation
	Eye damage/irritation	May cause eye irritation
	Respiratory/skin sensitization	no data available
	Germ cell mutagenicity	no data available
	Carcinogenicity	no data available
ammonium bifluoride	Reproductive toxicity	no data available
	STOT (single exposure)	no data available
	STOT (repeated exposure)	no data available
	Aspiration toxicity	no data available
	Acute toxicity	Oral LD50 (rat) 60 – 130 mg/kg
	Skin corrosion/irritation	Causes skin burns. Contact with liquid is corrosive and causes severe burns and ulceration
	Eye damage/irritation	Causes eye burns
	Respiratory/skin sensitization	no data available
	Germ cell mutagenicity	no data available
hydroxyethanediphosphonic acid	Carcinogenicity	no data available
	Reproductive toxicity	no data available
	STOT (single exposure)	no data available
	STOT (repeated exposure)	Chronic inhalation and may cause chronic fluoride poisoning (fluorosis)
	Aspiration toxicity	no data available
	Acute toxicity	Oral LD50 (rat) 1440 – 3550 mg/kg
	Skin corrosion/irritation	Causes severe skin burns
	Eye damage/irritation	Causes serious eye damage
	Respiratory/skin sensitization	No information available
	Germ cell mutagenicity	Not considered to be genotoxic
	Carcinogenicity	No information available
	Reproductive toxicity	Not considered to cause reproductive or developmental toxicity
	STOT (single exposure)	Inhalation may cause burning of the nose and throat, nausea, vomiting and diarrhoea
	STOT (repeated exposure)	No information available
	Aspiration toxicity	No information available

## SECTION 12 ECOLOGICAL INFORMATION

### Toxicity

	Endpoint	Duration (Hr.)	Species	Value
ammonium bifluoride	LC50	96	Fish	0.068mg/L
	EC50	48	Crustacea	97mg/L
	EC50	96	Algae or other aquatic plants	43mg/L
	NOEC	96	Crustacea	0.79mg/L
phosphoric acid	LC50	96	Fish	-43-72mg/L
	EC50	48	Crustacea	>5.62mg/L
	EC50	72	Algae or other aquatic plants	77.9mg/L
	NOEC	48	Crustacea	5.62mg/L
ethylene glycol monobutyl ether	LC50	96	Fish	1250-mg/L
	EC50	48	Crustacea	164mg/L
	EC50	72	Algae or other aquatic plants	623mg/L
	NOEL	336	Not Available	49.50000-mg/L
ammonium lauryl sulfate	Not Available	Not Available	Not Available	Not Available
oxalic acid	EC50	48	Crustacea	-125-150mg/L
	EC50	72	Algae or other aquatic plants	>18.39-<19.92mg/L
	NOEC	0.33	Algae or other aquatic plants	-0.002-0.003e mol/dm3
hydroxyethanediphosphonic acid	LC50	96	Fish	195mg/L
	EC50	48	Crustacea	409mg/L
	EC50	96	Algae or other aquatic plants	3mg/L
	EC0	24	Crustacea	≈39.6mg/L
	NOEC	504	Crustacea	0.1mg/L

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems. Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
phosphoric acid	HIGH	HIGH
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
oxalic acid	LOW	LOW
hydroxyethanediphosphonic acid	HIGH	HIGH

### Bio accumulative potential

Ingredient	Bioaccumulation
phosphoric acid	LOW (LogKOW = 0.7699)
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
oxalic acid	LOW (LogKOW = -1.7365)
hydroxyethanediphosphonic acid	LOW (BCF = 71)

### Mobility in soil

Ingredient	Mobility
phosphoric acid	HIGH (KOC = 1)
ethylene glycol monobutyl ether	HIGH (KOC = 1)
oxalic acid	HIGH (KOC = 1.895)
hydroxyethanediphosphonic acid	LOW (KOC = 20.81)

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations.
------------------------------	---

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

Marine Pollutant	NO
HAZCHEM	2X

Land transport (ADG) not applicable NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS IN PACK SIZES OF 5L OE LESS

## SECTION 15 REGULATORY INFORMATION

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### PHOSPHORIC ACID (7664-38-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
Australian Inventory of Industrial Chemicals (AIIC)

#### AMMONIUM BIFLUORIDE (1341-49-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 7  
Australian Inventory of Industrial Chemicals (AIIC)  
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### OXALIC ACID (144-62-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
Australian Inventory of Industrial Chemicals (AIIC)

#### ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6  
Australian Inventory of Industrial Chemicals (AIIC)  
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### AMMONIUM LAURYL SULFATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australian Inventory of Industrial Chemicals (AIIC)

#### HYDROXYETHANEDIPHOSPHONIC ACID IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals  
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4  
Australian Inventory of Industrial Chemicals (AIIC)

## SECTION 16 OTHER INFORMATION

### Revision Schedule

Revision Date	01/07/2021
Initial Date	18/11/2016

### SDS Version Summary

Version	Issue Date	Sections Updated
3.1	01/07/2021	Sections 2, 3, 4, 5, 7, 11, 12, 15, 16 have been updated or corrected

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of WHYTES SPECIALISED EQUIPMENT and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes

### Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from WHYTES SPECIALISED EQUIPMENT.

End of SDS