SAFETY DATA SHEET

STRIKE

WHYTES SPECIALISED EQUIPMENT

Product code: **WH453.10**
Version No: **2.4.1**
Issue date: **09/03/2026**
Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	STRIKE
Product code	WH453.10
Pack sizes	20kg
UN proper shipping name	DISODIUM TRIOXOSILICATE

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Powdered carpet prespray concentrate

Details of the manufacturer/importer

Registered company name	WHYTES SPECIALISED EQUIPMENT
Address	Unit 17/ 19 Cornhill Street, Ferntree Gully VIC 3156 Australia
Telephone	(03) 9758 6711
Website	www.carpetcleaningequipment.com.au
Email	sales@carpetcleaningequipment.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	5 & 6
GHS Classification	Serious Eye Damage Category 1, Skin Corrosion/Irritation Category 1B, STOT Single Exposure (Respiratory) Category 3.
	Classification drawn from HCIS, ECHA C&L Inventory and Suppliers' SDSs.

Label elements

Hazard pictogram	
SIGNAL WORD	**DANGER**

Hazard statement(s)

H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation.
AUH066	Repeated exposure may cause skin dryness and cracking

Precautionary statement(s) Prevention

P260	Do not breathe dust or spray.
P264	Wash exposed skin thoroughly after handling.
P280	Wear protective gloves / protective clothing / eye protection.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

Precautionary statement(s) Response

P301+P310+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
P303+P310+P361+P363+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor.
P305+P310+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P304+P310+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

Precautionary statement(s) Storage

P403+P405+P233	Store locked up.

Precautionary statement(s) Disposal

P501	Dispose of contents / container in accordance with local regulations

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
111-76-2	<10	ethylene glycol monobutyl ether
497-19-8	10-<30	sodium carbonate
10213-79-3	<10	sodium metasilicate, pentahydrate
Trade secret	<10	proprietary surfactant A
Trade secret	<10	proprietary surfactant B
Trade secret	<10	proprietary surfactant C
7320-34-5	<10	tetrapotassium pyrophosphate
64-02-8	<10	EDTA tetrasodium salt

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical advice / attention without delay. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If indicated by doctor transport to hospital or doctor without delay.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If dust or combustion products are inhaled, remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. If breathing is difficult, transport to hospital, or doctor, without delay.
Ingestion	If swallowed do **NOT** induce vomiting. Seek medical advice If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media	There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture.

Fire incompatibilities	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleach, pool chlorine etc. as ignition may result

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. **DO NOT** approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	May emit poisonous fumes of carbon monoxide (CO), carbon dioxide (CO2), phosphorus oxides (POx) and other pyrolysis products typical of burning organic material May emit corrosive fumes.
HAZCHEM	2X

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Environmental hazard - contain spillage. Clean up waste regularly and abnormal spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust. Vacuum up or sweep up. **NOTE:** Vacuum cleaner must be fitted with an exhaust micro filter (HEPA type). Place in suitable containers for disposal.
Major Spills	Moderate hazard - contain spillage. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible. **IF DRY:** Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal. **IF WET:** Vacuum/shovel up and place in labelled containers for disposal.

PPE	Personal Protective Equipment advice is contained in Section 8 of this SDS

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. **DO NOT** allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, **DO NOT** eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities.

Suitable container	Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid contact with copper, aluminium and their alloys. Avoid strong acids, acid chlorides, acid anhydrides an chloroformates d.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	96.9 mg/m3 / 20 ppm	242 mg/m3 / 50 ppm	Not Available	Sk

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium tripolyphosphate	Sodium tripolyphosphate	0.22 mg/m3	2.5 mg/m3	620 mg/m3
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether; (Nonoxynol-9)	9.9 mg/m3	110 mg/m3	300 mg/m3
ethylene glycol monobutyl ether	Butoxyethanol, 2-; (Glycol ether EB)	20 ppm	20 ppm	700 ppm
sodium carbonate	Sodium carbonate	12 mg/m3	130 mg/m3	780 mg/m3
sodium metasilicate, pentahydrate	Sodium metasilicate pentahydrate	45 mg/m3	45 mg/m3	170 mg/m3
potassium pyrophosphate	Tetrapotassium diphosphorate	61 mg/m3	680 mg/m3	1,200 mg/m3
EDTA tetrasodium	Ethylenediaminetetraacetic acid, tetrasodium salt; (Tetrasodium EDTA)	75 mg/m3	830 mg/m3	5000 mg/m3

Ingredient	Original IDLH	Revised IDLH
sodium tripolyphosphate	Not Available	Not Available
nonylphenol, ethoxylated	Not Available	Not Available
ethylene glycol monobutyl ether	700 ppm	700 [Unch] ppm
sodium carbonate	Not Available	Not Available
sodium metasilicate, pentahydrate	Not Available	Not Available
potassium pyrophosphate	Not Available	Not Available
EDTA tetrasodium	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear elbow length chemical protective gloves. Nitrile is recommended for this application.
Body protection	See Other protection below
Other protection	Dust mask. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Damp white powder

Physical state	Divided Solid Powder	**Relative density (Water = 1)**	Not Available
Odour	Fruity cinnamon	**Partition coefficient n-octanol / water**	Not Available
Odour threshold	Not Available	Molecular weight (g/mol)	Not Applicable
pH (as supplied)	Not Applicable	**Viscosity (cSt)**	Not Available
Melting point / freezing point (°C)	Not Applicable	**Decomposition temperature**	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	**Auto-ignition temperature (°C)**	Not Available
Flash point (°C)	Not Applicable	**Taste**	Not Available
Evaporation rate	Not Available	**Explosive properties**	Not Available
Flammability	Not Applicable	**Oxidising properties**	Not Available
Upper Explosive Limit (%)	Not Applicable	**Surface Tension (dyn/cm or mN/m)**	Not Applicable
Lower Explosive Limit(%)	Not Applicable	**Volatile Component (%vol)**	Not Available
Vapour pressure (kPa)	Not Available	**Gas group**	Not Available
Solubility in water (g/L)	150	**pH as a solution (1%)**	11.5-12.5
Vapour density (Air = 1)	Not Available	**VOC g/L**	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhalation	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation may cause coughing, sore throat, difficulty breathing. Fluid accumulation in the lungs can occur with exposure to high doses or over a long period of time.
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. May cause irritation to the mouth, throat and stomach which may result in mucous build-up, vomiting and diarrhea.
Skin Contact	The material may cause serious skin damage. Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream, though, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably. protected
Eye	If applied to the eyes, this material causes severe eye damage. Non-ionic surfactants can cause numbing of the cornea, which masks discomfort normally caused by other agents and leads to corneal injury.
Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Prolonged or repeated skin contact may cause degreasing with drying, cracking and dermatitis following.

Toxicological effects of ingredients

ethylene glycol monobutyl ether	Acute toxicity	Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation LC0 >3.1 mg/l>641 ppm 1h
	Skin corrosion/irritation	Causes skin irritation.
	Eye damage/irritation	Causes serious eye irritation.
	Respiratory/skin sensitization	Not classified No study available.
	Germ cell mutagenicity	Not classified
	Carcinogenicity	Not classified
	Reproductive toxicity	Not classified
	STOT (single exposure)	High concentrations may cause central nervous system depression
	STOT (repeated exposure)	Based on repeated exposure toxicity values, not classified
	Aspiration toxicity	Based on physico-chemical values or lack of human evidence. Not classified

sodium carbonate	Acute toxicity	Oral LD50 (rat) 2800 mg/kg Dermal LD50 (rat) 2000 mg/kg
	Skin corrosion/irritation	Prolonged or repeated contact may cause mild irritation
	Eye damage/irritation	Irritant. May cause pain, redness, discomfort
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	Not toxic to reproduction
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	No data available
tetrapotassium pyrophosphate	Acute toxicity	Oral LD50 (rabbit) >1000 mg/kg Dermal LD50 (rabbit) >4640 mg/kg
	Skin corrosion/irritation	Causes skin irritation. Irritation is likely to be more severe if the skin is moist or wet
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	EU/CLP • Classification criteria not met
	Germ cell mutagenicity	EU/CLP • Classification criteria not met
	Carcinogenicity	Does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens
	Reproductive toxicity	EU/CLP • Classification criteria not met
	STOT (single exposure)	EU/CLP • Classification criteria not met
	STOT (repeated exposure)	EU/CLP • Classification criteria not met
	Aspiration toxicity	EU/CLP • Classification criteria not met
sodium metasilicate pentahydrate	Acute toxicity	LD50 Oral - rat - 847 mg/kg
	Skin corrosion/irritation	Corrosive. Causes skin burns
	Eye damage/irritation	Corrosive. Causes eye burns
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	Sodium silicate was not mutagenic to the bacterium E. Coli when tested in a mutagenicity bioassay
	Carcinogenicity	There are no known reports of carcinogenicity of sodium silicates.
	Reproductive toxicity	Decreased numbers of births and survival to weaning was reported for rats fed sodium silicate in their drinking water at 600 and 1200 ppm.
	STOT (single exposure)	Dust corrosive to respiratory tract
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
EDTA tetrasodium salt	Acute toxicity	Oral LD50 (rat): >1780 - <2000 mg/kg
	Skin corrosion/irritation	Contact with skin may result in irritation
	Eye damage/irritation	Irritant (rabbit).
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	No adverse effect observed
	Carcinogenicity	Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
proprietary surfactant A	Acute toxicity	Oral – Estimate 722.54 mg/kg
	Skin corrosion/irritation	Causes skin irritation. Skin contact will cause redness, itching and swelling.
	Eye damage/irritation	Causes serious eye damage. Eye contact will cause stinging, blurring, tearing, severe pain, and possible burns, necrosis, permanent damage, and blindness.
	Respiratory/skin sensitization	Not a respiratory or skin sensitiser
	Germ cell mutagenicity	Not considered to be a mutagenic hazard
	Carcinogenicity	Not considered to be a carcinogenic hazard
	Reproductive toxicity	Not considered to be a reproductive hazard
	STOT (single exposure)	Not expected to cause toxicity to specific organs
	STOT (repeated exposure)	Not expected to cause toxicity to specific organs
	Aspiration toxicity	Not considered to be a aspiration hazard
proprietary surfactant B	Acute toxicity	Oral ATE >2000 mg/kg Dermal ATE >2000 mg/kg Inhalation ATE >20 mg/L
	Skin corrosion/irritation	Not corrosive
	Eye damage/irritation	Very corrosive – irreversible effects to eyes.
	Respiratory/skin sensitization	Not been classified as a skin or respiratory sensitizer
	Germ cell mutagenicity	This material has been classified as non-hazardous
	Carcinogenicity	This material has been classified as non-hazardous
	Reproductive toxicity	This material has been classified as non-hazardous
	STOT (single exposure)	This material has been classified as non-hazardous
	STOT (repeated exposure)	This material has been classified as non-hazardous
	Aspiration toxicity	This material has been classified as non-hazardous

proprietary surfactant C	Acute toxicity	Oral LD50 (rat) 2546 mg/kg Dermal LD50 (rat) 1844 mg/kg
	Skin corrosion/irritation	Causes skin irritation
	Eye damage/irritation	Causes serious eye irritation
	Respiratory/skin sensitization	Not a skin sensitizer based on components
	Germ cell mutagenicity	There is no data available
	Carcinogenicity	No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP above the threshold of 0.1%
	Reproductive toxicity	There is no data available
	STOT (single exposure)	There is no data available
	STOT (repeated exposure)	There is no data available
	Aspiration toxicity	There is no data available

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
ethylene glycol monobutyl ether	LC50	96	Fish	1-250mg/L
	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>1-mg/L
	NOEC	24	Crustacea	>1-mg/L
sodium carbonate	LC50	96	Fish	300-mg/L
	EC50	48	Crustacea	-156.6-298.9mg/L
	EC50	96	Algae or other aquatic plants	242-mg/L
	NOEC	48	Crustacea	<424-mg/L
potassium pyrophosphate	LC50	96	Fish	>100mg/L
	EC50	48	Crustacea	>100mg/L
	EC50	72	Algae or other aquatic plants	>100mg/L
	NOEC	72	Algae or other aquatic plants	>100mg/L
sodium metasilicate, pentahydrate	LC50	96	Fish	210mg/L
	EC50	48	Crustacea	-22.94-49.01mg/L
	EC50	72	Algae or other aquatic plants	207mg/L
	EC0	72	Algae or other aquatic plants	35mg/L
	NOEL	120	Algae or other aquatic plants	2.172668-mg/L
EDTA tetrasodium salt	LC50	96	Fish	41mg/L
	EC50	48	Crustacea	140mg/L
	EC50	72	Algae or other aquatic plants	=1.01mg/L
	EC10	72	Algae or other aquatic plants	=0.48mg/L
	NOEC	33	Algae or other aquatic plants	0.0003802-mg/L
proprietary surfactant A	LC50	96	Fish	>1-10 mg/L
	EC50	48	Daphnia (water flea)	>1-10 mg/L
proprietary surfactant C	LC50	96	Rainbow trout	32.15 mg/L

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters. Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
sodium carbonate	LOW	LOW

Bio accumulative potential

Ingredient	Bioaccumulation
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
sodium carbonate	LOW (LogKOW = -0.4605)

Mobility in soil

Ingredient	Mobility
ethylene glycol monobutyl ether	HIGH (KOC = 1)
sodium carbonate	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal	Recycle containers whenever possible. Product residues and containers should be disposed of in accordance with local government regulations.

SECTION 14 TRANSPORT INFORMATION

Labels Required

	
Marine Pollutant	NO
HAZCHEM	2X

Land transport (ADG):

UN Number	3253	
UN proper shipping name	DISODIUM TRIOXOSILICATE	
Transport hazard class(es)	Class	8
	Sub risk	Not applicable
Packing group	III	
Environmental Hazard	Not applicable	
Special precautions for user	Special provisions	Not applicable
	Limited quantity	5kg

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
Australian Inventory of Industrial Chemicals (AIIC)
International Agency for Research on Cancer (IARC) – Agents classified by AIRC monographs.

SODIUM CARBONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

POTASSIUM PYROPHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

EDTA TETRASODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
Australian Inventory of Industrial Chemicals (AIIC)

SODIUM METASILICATE, PENTAHYDRATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY SURFACTANT A - ALL THE COMPONENTS ARE LISTED OR EXEMPT IN THE FOLLOWING REGULATORY LIST

Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY SURFACTANT B IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

PROPRIETARY SURFACTANT C - ALL THE COMPONENTS ARE LISTED OR EXEMPT IN THE FOLLOWING REGULATORY LIST

Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	23/06/2021
Initial Date	07/12/2016

SDS Version Summary

Version	Issue Date	Sections Updated
2.1	23/06/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected
2.4.1	09/03/2026	Sections 2, 3, 11, 12, 15.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of WHYTES SPECIALISED EQUIPMENT and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

This document is copyright.
Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Whytes Specialised Equipment.

End of SDS